

DRS4W



VHF-Radar Minimum Separation of 3FT

VHF/AIS WHIP (LOCAL SUPPLY)

12-24 VDC

IPAD W/ NOBELTEC APP (IPAD AND OPTIONAL NOBELTEC APP NOT INCLUDED)




(iOS 6.1.3, 7.04 or Higher)

FM4800



GP1871F/1971F



12-24 VDC



Single Band Chirp Transducer

NMEA2000 Micro Double-ended cable
Female-Male
1 meter = 001-105-750
2 meter = 001-105-760-10
6 meter = 001-105-770-10


NMEA2000 Terminator Male AIR-335-791

NMEA2000 "T" AIR-052-531

NMEA2000 Micro Double-ended cable Female-Male
1 meter = 001-105-750
2 meter = 001-105-760-10
6 meter = 001-105-770-10
10 meter = 001-105-850
20 meter = 001-105-860

NMEA2000 Power "T" AIR-335-661 12VDC (Isolated)

NMEA2000 Terminator Male AIR-335-791






DRS4W

FURUN

VHF-Radar Minimum Separation of 3FT

VHF/AIS WHIP (LOCAL SUPPLY)

IPAD W/ NOBELTEC APP (LOCAL SUPPLY)




(iOS 6.1.3, 7.04 or Higher)

12-24 VDC



FM4800



Move Both R1 and R2 Jumper to ON Position



GP1871F/1971F

12-24 VDC

12 VDC




NMEA2000 Micro Single-ended cable Female

1 meter = 001-105-780-10

2 meter = 001-105-790-10

6 meter = 001-507-040-00



Single Band Chirp Transducer

