


MAVnet

TZ
touchXL

Software History



FURUNO

TZtouchXL Software History

V25.11 (March 2025) Available by Wi-Fi or via USB update

- New: TZ Weather
- New: CSH10 Omni Sonar interface
- New: Points filtering
- New: Suzuki mode
- New: Dynamic Mooring
- New: Modern Instrument Graphics
- New: Ability to pin a specific instrument page and new data specific icons
- New: Separator lines for Instrument pages
- New: Spacers for Data Box
- New: Settings Search
- New: Hand steering compass bar
- New: NMEA 2000 Alert PGN support
- New: Fish Finder Depth size selection
- New: Plotter Object Size selection
- New: Only active screen will show range buttons or range slider
- New: Color palettes for Chirp Side Scan
- New: Distance markers added to Radar range rings
- New: Virtual Power Off button for TZTBBX
- New: Direct TZ MAPS feedback
- New: TZ MAPs Smart Search
- New: Range Slider
- New: Pinch and Pan touch speed adjustments added
- Improved: Swipe up menu improvements
- Improved: AI routing
- Improved: Risk Visualizer. On/off is now a global setting
- Improved: Page Builder
- Improved: Auto Gain for Chirp Side Scan
- Improved: Home page improvements
- Improved: Instrument menu operation
- Improved: Auto centering added for manual route creation
- Improved: PBG for DFF3D
- Changed: Primary source of distance calculation, such as Fuel Distance to Empty (FDTE) and others, is based on SOG. (Previous: STW)
- Added: New HTML5 3rd Party browsers

V24.22.2 (Dec 2024) Available by Wi-Fi or via USB update

- Improvement: TZT16X and TZTBBX internal fan speed improved

V24.22.1 (Nov 2024) Available by Wi-Fi or via USB update

- Improvement: TZT22X and TZT24X internal fan speed improved

V24.22 (July 2024) Available by Wi-Fi or via USB update

- Improvement: TZT10X and TZT13X internal fan timing improved

V24.21 (June 2024) Available by Wi-Fi or via USB update

- New: Multiple sets of Furuno FIP-460 Camera can be networked
- New: TZ MAPS in areas around Miami, Seattle, and Annapolis are available in DEMO mode.
- Improvement: New partners added to HTML5 browser capability
- Change: Service Menu no longer requires password
- Change: Alarm indications for AI Avoidance Route are revised
- Change: NMEA 0183 TTM sentence is not output when the MFDs are using Full Auto Tracking with NXT radars.
- Change: Radar menu revised
- Change: Indication of CHIRP side-scan is removed
- Change: Default setting of Auto Power ON function is changed from ON to OFF.
- Fix: Touch operations on older Hatteland monitors now working
- Fix: AI Avoidance Route properly works while downloading TZ MAPS charts.

V21.12 (April 2024) Initial Release